




**Model Name** **RP6503**

**Unique selling point**

- \* High performance Quad-Core CPU A73\*4+A53\*4, 8GB memory, 64GB storage, Android 11 OS.
- \* BenQ ClassroomCare™
- \* Germ resistant on screen, Styus Pen, Remote Control, Keypad and Front I/O
- \* Low blue light / Flicker free / eyesafe Certify by TUV
- \* Air Ionizer / Air Quirlity Sensor / Anti-Glare Certify by TUV
- \* IP5x dust resistance, Certify by SGS IEC 60529
- \* 5 in 1 Smart Type C, Display / Audio / 65W fast charging / Touch / Data
- \* 32W Soundbar + 16W Subwoofer Certify by Dolby
- \* 8 Mic Array noise and echo cancellation
- \* Built-in annotation software EZWrite 6 / Google classroom/ Wireless Casting software InstaShare2 / Multi Windows & Duo OS
- \* Account management system (AMS) provides personalized workspace

<b>Panel</b>	<b>Screen Diagonal</b>	65"	
	<b>Backlight</b>	DLED	
	<b>Resolution</b>	3840 x 2160	
	<b>Aspect Ratio</b>	16 : 9	
	<b>Brightness</b>	450nits	
	<b>Contrast Ratio</b>	1200:1	
	<b>Dynamic Contrast Ratio</b>	30,000:1	
	<b>Viewing Angle</b>	178 degree (H) / 178 degree (V)	
	<b>Color gamut (x% NTSC)</b>	72%	
	<b>Frame Rate</b>	60Hz	
	<b>Response Time</b>	8ms	
	<b>Panel bit</b>	10-bit	
	<b>Light life</b>	50,000hrs	
	<b>Orientation</b>	Landscape	
<b>Touch solution</b>	<b>Touch tech.</b>	Fine IR+	
	<b>Number of touches</b>	Up to 40 Point Multi-touch	
	<b>Touch interface</b>	Type B USB x 3	
	<b>Resolution</b>	32767 x 32767	
<b>Cover glass</b>	<b>Thickness</b>	Tempered, 3.2 mm	
	<b>Hardness</b>	9H	
<b>Speaker</b>	<b>Built-in speaker</b>	Built-in speakers 16W x 2 & subwoofer 16W x 1 (Dolby DD+)	
<b>Interface</b>	<b>Input</b>	Power (AC) Inlet	x 1
		VGA w/ AUDIO-IN	x 1
		HDMI	x 3 (2.0 x 3)
		DP	x 1 (1.2a x 1)
		USB Type A	x 7 (USB 3.0 x 5 + USB 2.0 x 2)
		USB Type C	x 2 (USB 3.0 x 2)
		Mic in (3.5mm)	x 1
		LAN	x 2
		RS232	x 1
		<b>Output</b>	HDMI
	Line out (3.5mm)		x 1
	SPDIF		x 1
	<b>Others</b>	Array Microphone	x 8
		NFC Reader/Writer	x 1
		Motion Sensor	x 1
		Air Ionizer	x 1
		Air Quality Sensor	x 1
		Light Sensor	x 1
		IR receiver	x 1
		OPS Slot	x 1
<b>Mechanical</b>	<b>Dimension (WxHxD) (Without Packing / With Net Weight/Gross Weight)</b>	1489.3 x 934.3 x 121.5mm / 1660 x 1045 x 220 mm	
	<b>Power supply</b>	AC100 to 240V, 50 to 60 Hz	
<b>Power</b>	<b>Power consumption</b>	425W (max.) / <0.5W (Standby)	
	<b>On-Screen Display Languages</b>	English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korean / Turkish / Indonesian / Hebrew (28L)	
<b>Accessories</b>	<b>Standard</b>	Remote Control	x 1
		Power Cord (by region)	By Region
		Touch pen	x 2
		Quick Start Guide	x 1
		Regulation Sheet	x 1
		Touch Cable (USB to USB)	x 1
		HDMI cable	x 1
		VGA(D-sub 15pin) Cable	x 1
		Type C Cable	x 1
		WiFi Dongle	x 1
Wall mount	x 1		




### Input/output terminals

#### Front I/O




#### Rear I/O




#### Camera USB port




#### WiFi dongle & Remote controller USB port



### Wallmount



### Dimension





**Model Name RP7503**

**Unique selling point**

- \* High performance Quad-Core CPU A73\*4+A53\*4, 8GB memory, 64GB storage, Android 11 OS.
- \* BenQ ClassroomCare™
- \* Germ resistant on screen, Styus Pen, Remote Control, Keypad and Front I/O
- \* Low blue light /Flicker free /eyesafe Certify by TUV
- \* Air Ionizer / Air Quirlity Sensor / Anti-Glare Certify by TUV
- \* IP5x dust resistance, Certify by SGS IEC 60529
- \* 5 in 1 Smart Type C, Display / Audio / 65W fast charging / Touch / Data
- \* 32W Soundbar + 16W Subwoofer Certify by Dolby
- \* 8 Mic Array noise and echo cancellation
- \* Built-in annotation software EZWrite 6 / Google classroom/ Wireless Casting software InstaShare2 / Multi Windows & Duo OS
- \* Account management system (AMS) provides personalized workspace

Panel	Screen Diagonal	75"		
	Backlight	DLED		
	Resolution	3840 x 2160		
	Aspect Ratio	16 : 9		
	Brightness	450nits		
	Contrast Ratio	1200:1		
	Dynamic Contrast Ratio	30,000:1		
	Viewing Angle	178 degree (H) / 178 degree (V)		
	Color gamut (x% NTSC)	72%		
	Frame Rate	60Hz		
	Response Time	8ms		
	Panel bit	10-bit		
	Light life	50,000hrs		
Orientation	Landscape			
Touch solution	Touch tech.	Fine IR+		
	Number of touches	Up to 40 Point Multi-touch		
	Touch interface	Type B USB x 3		
	Resolution	32767 x 32767		
Cover glass	Thickness	Tempered, 3.2 mm		
	Hardness	9H		
Speaker	Built-in speaker	Built-in speakers 16W x 2 & subwoofer 16W x 1 (Dolby DD+)		
Interface	Input	Power (AC) Inlet	x 1	
		VGA w/ AUDIO-IN	x 1	
		HDMI	x 3 (2.0 x 3)	
		DP	x 1 (1.2a x 1)	
		USB Type A	x 7 (USB 3.0 x 5 + USB 2.0 x 2)	
		USB Type C	x 2 (USB 3.0 x 2)	
		Mic in (3.5mm)	x 1	
		LAN	x 2	
		RS232	x 1	
		Output	HDMI	x 1 (2.0 x 3)
			Line out (3.5mm)	x 1
		Others	SPDIF	x 1
			Array Microphone	x 8
	NFC Reader/Writer		x 1	
	Motion Sensor		x 1	
	Air Ionizer		x 1	
	Air Quality Sensor		x 1	
	Mechanical	Dimension (WxHxD) (Without Packing / With	1717.1 x 1065.3 x 121.3mm / 1900 x 1160 x 225mm	
		Net Weight/Gross Weight	55.5 Kg / 70 Kg ± 1.5Kg	
Power		Power supply	AC100 to 240V, 50 to 60 Hz	
		Power consumption	461W (max.) / <0.5W (Standby)	
OSD		On-Screen Display Languages	English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korean / Turkish / Indonesian / Hebrew (28L)	
Accessories	Standard	Remote Control	x 1	
		Power Cord (by region)	By Region	
		Touch pen	x 2	
		Quick Start Guide	x 1	
		Regulation Sheet	x 1	
		Touch Cable (USB to USB)	x 1	
		HDMI cable	x 1	
		VGA(D-sub 15pin) Cable	x 1	
		Type C Cable	x 1	
		WiFi Dongle	x 1	
Wall mount	x 1			




### Input/output terminals

#### Front I/O



#### Rear I/O




#### Camera USB port




#### WiFi dongle & Remote controller USB port



### Wallmount



### Dimension





**Model Name RP8603**

**Unique selling point**

- \* High performance Quad-Core CPU A73\*4+A53\*4, 8GB memory, 64GB storage, Android 11 OS.
- \* BenQ ClassroomCare™
- \* Germ resistant on screen, Styus Pen, Remote Control, Keypad and Front I/O
- \* Low blue light /Flicker free /eyesafe Certify by TÜV
- \* Air Ionizer / Air Quirlity Sensor / Anti-Glare Certify by TÜV
- \* IP5x dust resistance, Certify by SGS IEC 60529
- \* 5 in 1 Smart Type C, Display / Audio / 65W fast charging / Touch / Data
- \* 32W Soundbar + 16W Subwoofer Certify by Dolby
- \* 8 Mic Array noise and echo cancellation
- \* Built-in annotation software EZWrite 6 / Google classroom/ Wireless Casting software InstaShare2 / Multi Windows & Duo OS
- \* Account management system (AMS) provides personalized workspace

Panel	Screen Diagonal	86"	
	Backlight	DLED	
	Resolution	3840 x 2160	
	Aspect Ratio	16 : 9	
	Brightness	450nits	
	Contrast Ratio	1200:1	
	Dynamic Contrast Ratio	30,000:1	
	Viewing Angle	178 degree (H) / 178 degree (V)	
	Color gamut (x% NTSC)	72%	
	Frame Rate	60Hz	
	Response Time	8ms	
	Panel bit	10-bit	
	Light life	50,000hrs	
Orientation	Landscape		
Touch solution	Touch tech.	Fine IR+	
	Number of touches	Up to 40 Point Multi-touch	
	Touch interface	Type B USB x 3	
	Resolution	32767 x 32767	
Cover glass	Thickness	Tempered, 3.2 mm	
	Hardness	9H	
Speaker	Built-in speaker	Built-in speakers 16W x 2 & subwoofer 16W x 1 (Dolby DD+)	
Interface	Input	Power (AC) Inlet	x 1
		VGA w/ AUDIO-IN	x 1
		HDMI	x 3 (2.0 x 3)
		DP	x 1 (1.2a x 1)
		USB Type A	x 7 (USB 3.0 x 5 + USB 2.0 x 2)
		USB Type C	x 2 (USB 3.0 x 2)
		Mic in (3.5mm)	x 1
		LAN	x 2
		RS232	x 1
		Output	HDMI
	Line out (3.5mm)		x 1
	SPDIF		x 1
	Others	Array Microphone	x 8
		NFC Reader/Writer	x 1
		Motion Sensor	x 1
		Air Ionizer	x 1
		Air Quality Sensor	x 1
		Light Sensor	x 1
		IR receiver	x 1
	OPS Slot	x 1	
Mechanical	Dimension (WxHxD) (Without Packing / With	1962.4 x 1203.4 x 121.5mm / 2160 x 1340 x 250 mm	
	Net Weight/Gross Weight	70.2 Kg / 87 Kg ± 1.5 Kg	
Power	Power supply	AC100 to 240V, 50 to 60 Hz	
	Power consumption	625W (max.) / <0.5W (Standby)	
OSD	On-Screen Display Languages	English / French / German / Dutch / Polish / Russian / Czech / Danish / Swedish / Italian / Romanian / Finnish / Norwegian / Greek / Hungarian / Spanish / Portuguese / Traditional Chinese / Simplified Chinese / Arabic / Japanese / Thai / Persian / Vietnamese / Korean / Turkish / Indonesian / Hebrew (28L)	
Accessories	Standard	Remote Control	x 1
		Power Cord (by region)	By Region
		Touch pen	x 2
		Quick Start Guide	x 1
		Regulation Sheet	x 1
		Touch Cable (USB to USB)	x 1
		HDMI cable	x 1
		VGA(D-sub 15pin) Cable	x 1
		Type C Cable	x 1
		WiFi Dongle	x 1
Wall mount	x 1		




### Input/output terminals

#### Front I/O



#### Rear I/O




#### Camera USB port



#### WiFi dongle & Remote controller USB port



### Wallmount



### Dimension

